MS.ARUNA TUROR ICON

Nursing Assessment

History

Mental Status Examination

Physical examination

Observation of Behaviour

Nursing Diagnosis

- Risk for Suicide related to depressed mood.
- Dysfunctional grieving related to real or perceived loss as evidenced by inability to carry out activities of daily living.
- Low self-esteem related to learned helplessness as evidenced by negative, pessimistic outlook.

Contd...,

- Impaired social interaction related to fear of rejection as evidenced by seeking to be alone.
- Imbalanced nutrition less than body requirements related to lack of interest in food as evidenced by weight loss.

Contd...

- Disturbed sleep pattern related to depressed mood as evidenced by difficulty falling asleep.
- Self-care deficit related to feelings of worthlessness as evidenced by offensive body odor.

Contd...,

- Ineffective coping
- Activity intolerance
- Powerlessness

- **▶** Risk for suicide
- Develop trust
- Convey empathy and acceptance
- Provide safe environment- Remove all sharp and dangerous items such as glass items, medications, clothes etc.
- Supervise closely
- Never leave the client alone in room

- **⇒**Self esteem disturbance
- Convey acceptance and friendly attitude
- Focus on strength and weakness
- Promote independence
- Maintain rapport and IPR
- Help in decision making

- **⇒**Self care deficit
- Assist in activities of daily living
- Encourage to maintain self care
- Change the position frequently in severly depressed patients
- Promote independence
- Drovide nevelo education regarding

- Imbalanced nutrition
- Provide small and frequent meals
- Provide foods according to client's likes and dislikes
- Encourage some active and passive exercises
- Provide high fiber diet
- Advice to drink plenty of oral fluids

- **▶** Sleep pattern disturbance
- Encourage to have exercise during day time
- Advice to avoid naps during day
- Provide warm milk before bed time
- Advice to have a warm bath before going to bed
- Provide some soft music
- Restrict visitors during night time
- Advice to read some books before bed time

Psycho Education

- → Regarding drugs
- Advice to take drugs at correct time
- Never stop or change the dose without physician's order
- Don't expect fast miracles
- Advice to avoid any heavy work if feeling drowsy

Education to Family Members

- Try to understand the client's problems
- Give correct history to the therapist
- Give medications regularly
- Give adequate support
- Watch for any suicidal tendencies
- Never leave the client alone
- a Directida hana and attorna

Geriatric Considerations

- Teach the patient depression may cause atypical symptoms in the elderly.
- Selective serotonin reuptake inhibitors are recommended first in the elderly.
- Maintenance therapy is important to prevent relapse.
- Encourage for regular check up and follow up



Home Care Management

Teach the client & family about

- Depression and ways to manage disorder
- Medication management & management of side effects
- Signs & symptoms of relapse
- behavioral signs of relapse and how to seek treatment in early stages.

Summary

- Introduction
- Definition
- ICD-10 Classification
- Incidence
- Types
- Etiology
- Psychopathology
- Treatment
- Nursing Management
- Geriatric considerations
- Follow up, home care and rehabilitation

Conclusion

Help the patients to realize that

- Depression is more common than you think.
- Don't think you are alone.
- Better make use of your resources, support systems and coping mechanisms.

References

- Frisch NC, Frisch LE, Psychiatric Mental Health Nursing,3 rd edition, Indian edition, Thomas Delmar learning, publication
- Gail W.Stuart & MicheleT.Laraira. Principles & practice of psychiatric Nursing, 8 th edition, Mosby publication
- Kaplon, Synopsis of Psychiatry, 7 th edition, B.I.Waverly pvt ltd publication
- M.S. Bhatia, Short Textbook Of Psychiatry,7 th edition, CBS Publication
- Niraj Ahuja Short text book of psychiatry,7th edition,Jaypee
 Publication.
- R.Sreevani, A Guide to Health & Psychaiatric Nursing, 4 th edition,
 Jaypee publication



hank 1ou!